


CHOKER ON BOTH ENDS LOOP WITHOUT THIMBLE COMPRESSED

20130

TECHNICAL SPECIFICATION

Choking ropes by Jakob Rope Systems, steel. 86 sizes, article no.
20130-1000-010 to 20130-2600-060.



SPECIFICATIONS

Brand	Jakob Rope Systems
Product no.	20130
Category	Wire Rope, Chain & Rigging
Material	Steel
Surface	galvanized
Standard	EN 13414-1
Nominal strength	1960 N/mm2

ARTICLE NUMBERS

NO.	Ø	L	WLL KN	KG
20130-1000-010	10	1	23.04	0.7870
20130-1000-015	10	1.5	23.04	0.9470
20130-1000-020	10	2	23.04	1.1070
20130-1000-025	10	2.5	23.04	1.2670
20130-1000-030	10	3	23.04	1.4270
20130-1000-035	10	3.5	23.04	1.5870
20130-1000-040	10	4	23.04	1.7470
20130-1000-050	10	5	23.04	2.0670
20130-1000-060	10	6	23.04	2.3870
20130-1100-010	11	1	28.08	1.0350
20130-1100-015	11	1.5	28.08	1.2550
20130-1100-020	11	2	28.08	1.4750
20130-1100-025	11	2.5	28.08	1.6950
20130-1100-030	11	3	28.08	1.9150
20130-1100-035	11	3.5	28.08	2.1350
20130-1100-040	11	4	28.08	2.3550
20130-1100-050	11	5	28.08	2.7950
20130-1100-060	11	6	28.08	3.2350
20130-1200-010	12	1	33.48	1.2300
20130-1200-015	12	1.5	33.48	1.4930
20130-1200-020	12	2	33.48	1.7570
20130-1200-025	12	2.5	33.48	2.0210
20130-1200-030	12	3	33.48	2.2850
20130-1200-035	12	3.5	33.48	2.5490

NO.	Ø	L	WLL KN	KG
20130-1200-040	12	4	33.48	2.8130
20130-1200-050	12	5	33.48	3.3410
20130-1200-060	12	6	33.48	3.8690
20130-1300-010	13	1	39.24	1.5650
20130-1300-015	13	1.5	39.24	1.8850
20130-1300-020	13	2	39.24	2.2050
20130-1300-025	13	2.5	39.24	2.5250
20130-1300-030	13	3	39.24	2.8450
20130-1300-035	13	3.5	39.24	3.1650
20130-1300-040	13	4	39.24	3.4850
20130-1300-050	13	5	39.24	4.1250
20130-1300-060	13	6	39.24	4.7650
20130-1400-015	14	1.5	45.72	3.1390
20130-1400-020	14	2	45.72	3.5090
20130-1400-025	14	2.5	45.72	3.8790
20130-1400-030	14	3	45.72	4.2490
20130-1400-035	14	3.5	45.72	4.6190
20130-1400-040	14	4	45.72	4.6190
20130-1400-050	14	5	45.72	5.7290
20130-1400-060	14	6	45.72	6.4690
20130-1600-015	16	1.5	59.4	3.9460
20130-1600-020	16	2	59.4	4.4300
20130-1600-025	16	2.5	59.4	4.9160
20130-1600-030	16	3	59.4	5.4010
20130-1600-035	16	3.5	59.4	5.8860
20130-1600-040	16	4	59.4	6.3710
20130-1600-050	16	5	59.4	7.3410
20130-1600-060	16	6	59.4	8,311.0000
20130-1800-015	18	1.5	75.24	5.9300
20130-1800-020	18	2	75.24	5.2400
20130-1800-025	18	2.5	75.24	6.5500
20130-1800-030	18	3	75.24	6.4700
20130-1800-035	18	3.5	75.24	7.1650
20130-1800-040	18	4	75.24	7.7000
20130-1800-050	18	5	75.24	10.2400
20130-1800-060	18	6	75.24	11.4700
20130-2000-015	20	1.5	92.88	5.4300
20130-2000-020	20	2	92.88	6.1900
20130-2000-025	20	2.5	92.88	6.9500
20130-2000-030	20	3	92.88	7.7100
20130-2000-035	20	3.5	92.88	8.4700
20130-2000-040	20	4	92.88	9.2300
20130-2000-050	20	5	92.88	10.7500
20130-2000-060	20	6	92.88	12.2700
20130-2200-025	22	2.5	112.68	9.8100
20130-2200-030	22	3	112.68	10.7300
20130-2200-035	22	3.5	112.68	11.6500
20130-2200-040	22	4	112.68	12.5700
20130-2200-050	22	5	112.68	14.4100
20130-2200-060	22	6	112.68	16.2500
20130-2400-025	24	2.5	133.92	11.2100
20130-2400-030	24	3	133.92	12.3100
20130-2400-035	24	3.5	133.92	13.4000
20130-2400-040	24	4	133.92	14.5000
20130-2400-050	24	5	133.92	16.6900
20130-2400-060	24	6	133.92	18.8800
20130-2600-025	26	2.5	157.32	12.7900
20130-2600-030	26	3	157.32	14.0700
20130-2600-035	26	3.5	157.32	15.3600

NO.	Ø	L	WLL KN	KG
20130-2600-040	26	4	157.32	16.6400
20130-2600-050	26	5	157.32	19.2100
20130-2600-060	26	6	157.32	21.7800

NOTES

- Made of single-layer circular wire strand rope with steel core
- With sliding choker hook with safety latch
- Safety factor 2
- Other lengths on request

Specifications are provided for reference and may change without notice. Contact us to confirm the right product for your application.