


CHOKER ON ONE END BIG LOOP, ON THE OTHER END LOOP WITH THIMBLE COMPRESSED

20110

TECHNICAL SPECIFICATION

Choking ropes by Jakob Rope Systems, steel. 86 sizes, article no.
20110-1000-010 to 20110-2600-060.



SPECIFICATIONS

Brand	Jakob Rope Systems
Product no.	20110
Category	Wire Rope, Chain & Rigging
Material	Steel
Surface	galvanized
Standard	EN 13414-1
Nominal strength	1960 N/mm2

ARTICLE NUMBERS

NO.	Ø	L	WLL KN	KG
20110-1000-010	10	1	23.04	1.3590
20110-1000-015	10	1.5	23.04	1.5190
20110-1000-020	10	2	23.04	1.6790
20110-1000-025	10	2.5	23.04	1.8390
20110-1000-030	10	3	23.04	2.0000
20110-1000-035	10	3.5	23.04	2.1590
20110-1000-040	10	4	23.04	2.3190
20110-1000-050	10	5	23.04	2.6390
20110-1000-060	10	6	23.04	2.9590
20110-1100-010	11	1	28.08	1.5800
20110-1100-015	11	1.5	28.08	1.8000
20110-1100-020	11	2	28.08	2.0200
20110-1100-025	11	2.5	28.08	2.2400
20110-1100-030	11	3	28.08	2.4600
20110-1100-035	11	3.5	28.08	2.6800
20110-1100-040	11	4	28.08	2.9000
20110-1100-050	11	5	28.08	3.3400
20110-1100-060	11	6	28.08	3.7800
20110-1200-010	12	1	33.48	1.7650
20110-1200-015	12	1.5	33.48	2.0300
20110-1200-020	12	2	33.48	2.2940
20110-1200-025	12	2.5	33.48	2.5590
20110-1200-030	12	3	33.48	2.8230

NO.	Ø	L	WLL KN	KG
20110-1200-035	12	3.5	33.48	3.0880
20110-1200-040	12	4	33.48	3.3520
20110-1200-050	12	5	33.48	3.8810
20110-1200-060	12	6	33.48	4.4100
20110-1300-010	13	1	39.24	2.0500
20110-1300-015	13	1.5	39.24	2.3600
20110-1300-020	13	2	39.24	2.6800
20110-1300-025	13	2.5	39.24	3.0000
20110-1300-030	13	3	39.24	3.3200
20110-1300-035	13	3.5	39.24	3.6500
20110-1300-040	13	4	39.24	3.9600
20110-1300-050	13	5	39.24	4.6000
20110-1300-060	13	6	39.24	5.2500
20110-1400-015	14	1.5	45.72	3.1580
20110-1400-020	14	2	45.72	3.5280
20110-1400-025	14	2.5	45.72	3.8980
20110-1400-030	14	3	45.72	4.2680
20110-1400-035	14	3.5	45.72	4.6380
20110-1400-040	14	4	45.72	4.6380
20110-1400-050	14	5	45.72	5.7480
20110-1400-060	14	6	45.72	6.4880
20110-1600-015	16	1.5	59.4	3.7160
20110-1600-020	16	2	59.4	3.5800
20110-1600-025	16	2.5	59.4	4.6860
20110-1600-030	16	3	59.4	4.1710
20110-1600-035	16	3.5	59.4	5.6560
20110-1600-040	16	4	59.4	6.1410
20110-1600-050	16	5	59.4	7.1110
20110-1600-060	16	6	59.4	8.0810
20110-1800-015	18	1.5	75.24	5.3800
20110-1800-020	18	2	75.24	6.0000
20110-1800-025	18	2.5	75.24	6.6500
20110-1800-030	18	3	75.24	7.2300
20110-1800-035	18	3.5	75.24	7.8500
20110-1800-040	18	4	75.24	8.4600
20110-1800-050	18	5	75.24	9.6900
20110-1800-060	18	6	75.24	10.9200
20110-2000-015	20	1.5	92.88	6.5300
20110-2000-020	20	2	92.88	7.2800
20110-2000-025	20	2.5	92.88	8.0500
20110-2000-030	20	3	92.88	8.8100
20110-2000-035	20	3.5	92.88	9.5700
20110-2000-040	20	4	92.88	10.3300
20110-2000-050	20	5	92.88	11.8500
20110-2000-060	20	6	92.88	13.6700
20110-2200-025	22	2.5	112.68	9.3800
20110-2200-030	22	3	112.68	12.1600
20110-2200-035	22	3.5	112.68	13.0600
20110-2200-040	22	4	112.68	13.9800
20110-2200-050	22	5	112.68	15.8200
20110-2200-060	22	6	112.68	17.6600
20110-2400-025	24	2.5	133.92	12.6600
20110-2400-030	24	3	133.92	13.7600
20110-2400-035	24	3.5	133.92	14.8500
20110-2400-040	24	4	133.92	15.9500
20110-2400-050	24	5	133.92	18.1400
20110-2400-060	24	6	133.92	20.3300
20110-2600-025	26	2.5	157.32	16.2000
20110-2600-030	26	3	157.32	17.4900

NO.	Ø	L	WLL KN	KG
20110-2600-035	26	3.5	157.32	18.7700
20110-2600-040	26	4	157.32	20.0600
20110-2600-050	26	5	157.32	22.6300
20110-2600-060	26	6	157.32	25.2000

NOTES

- Made of single-layer circular wire strand rope with steel core
- With sliding choker hook with safety latch
- Safety factor 2
- Other lengths on request

Specifications are provided for reference and may change without notice. Contact us to confirm the right product for your application.