

WIRE ROPE SLING LOOP WITH SHRINK-ON TUBE ON BOTH ENDS SPLICED

20102

TECHNICAL SPECIFICATION



828INDUSTRIES.COM

Jakob Rope Systems · Wire Rope, Chain & Rigging

Wire rope slings by Jakob Rope Systems, steel. 94 sizes, article no. 20102-0600-015 to 20102-3400-060.



SPECIFICATIONS

Brand	Jakob Rope Systems
Product no.	20102
Category	Wire Rope, Chain & Rigging
Material	Steel
Surface	galvanized
Standard	in compliance with EN 13414-1
Nominal strength	1960 N/mm2

ARTICLE NUMBERS

NO.	Ø	L	WLL KN	KG
20102-0600-015	6	1.5	3.43	0.2390
20102-0600-020	6	2	3.43	0.3040
20102-0600-025	6	2.5	3.43	0.3690
20102-0600-030	6	3	3.43	0.4340
20102-0600-035	6	3.5	3.43	0.4990
20102-0600-040	6	4	3.43	0.5640
20102-0600-050	6	5	3.43	0.6940
20102-0600-060	6	6	3.43	0.8240
20102-0700-010	7	1	4.41	0.2230
20102-0700-015	7	1.5	4.41	0.3030
20102-0700-020	7	2	4.41	0.3830
20102-0700-025	7	2.5	4.41	0.4630
20102-0700-030	7	3	4.41	0.5430
20102-0700-035	7	3.5	4.41	0.6230
20102-0700-040	7	4	4.41	0.7030
20102-0700-050	7	5	4.41	0.8630
20102-0700-060	7	6	4.41	1.0230
20102-0800-010	8	1	5.88	0.3210
20102-0800-015	8	1.5	5.88	0.4310
20102-0800-020	8	2	5.88	0.5410
20102-0800-025	8	2.5	5.88	0.6510
20102-0800-030	8	3	5.88	0.7610
20102-0800-035	8	3.5	5.88	0.8710
20102-0800-040	8	4	5.88	0.9810

NO.	Ø	L	WLL KN	KG
20102-0800-050	8	5	5.88	1.2010
20102-0800-060	8	6	5.88	1.4210
20102-0900-010	9	1	7.45	0.4100
20102-0900-015	9	1.5	7.45	0.5450
20102-0900-020	9	2	7.45	0.6800
20102-0900-025	9	2.5	7.45	0.8150
20102-0900-030	9	3	7.45	0.9500
20102-0900-035	9	3.5	7.45	1.0850
20102-0900-040	9	4	7.45	1.2200
20102-0900-050	9	5	7.45	1.4900
20102-0900-060	9	6	7.45	1.7600
20102-1000-010	10	1	8.82	0.4980
20102-1000-015	10	1.5	8.82	0.6580
20102-1000-020	10	2	8.82	0.8180
20102-1000-025	10	2.5	8.82	0.9780
20102-1000-030	10	3	8.82	1.1380
20102-1000-035	10	3.5	8.82	1.2980
20102-1000-040	10	4	8.82	1.4580
20102-1000-050	10	5	8.82	1.7780
20102-1000-060	10	6	8.82	2.0980
20102-1100-010	11	1	11.47	0.7230
20102-1100-015	11	1.5	11.47	0.9430
20102-1100-020	11	2	11.47	1.1630
20102-1100-025	11	2.5	11.47	1.3830
20102-1100-030	11	3	11.47	1.6030
20102-1100-035	11	3.5	11.47	1.8230
20102-1100-040	11	4	11.47	2.0430
20102-1100-050	11	5	11.47	2.4830
20102-1100-060	11	6	11.47	2.9230
20102-1200-015	12	1.5	13.73	1.1840
20102-1200-020	12	2	13.73	1.4540
20102-1200-025	12	2.5	13.73	1.7240
20102-1200-030	12	3	13.73	1.9940
20102-1200-035	12	3.5	13.73	2.2640
20102-1200-040	12	4	13.73	2.5340
20102-1200-050	12	5	13.73	3.0740
20102-1200-060	12	6	13.73	3.6140
20102-1300-010	13	1	15.69	1.1140
20102-1300-015	13	1.5	15.69	1.4340
20102-1300-020	13	2	15.69	1.7540
20102-1300-025	13	2.5	15.69	2.0740
20102-1300-030	13	3	15.69	2.3940
20102-1300-035	13	3.5	15.69	2.7140
20102-1300-040	13	4	15.69	3.0340
20102-1300-050	13	5	15.69	3.6740
20102-1300-060	13	6	15.69	4.3140
20102-1400-010	14	1	18.63	1.3260
20102-1400-015	14	1.5	18.63	1.6960
20102-1400-020	14	2	18.63	2.0660
20102-1400-025	14	2.5	18.63	2.4360
20102-1400-030	14	3	18.63	2.8060
20102-1400-035	14	3.5	18.63	3.1760
20102-1400-040	14	4	18.63	3.5460
20102-1400-050	14	5	18.63	4.2860
20102-1400-060	14	6	18.63	5.0260
20102-1600-010	16	1	23.53	1.8620
20102-1600-015	16	1.5	23.53	2.3470
20102-1600-020	16	2	23.53	2.8320
20102-1600-025	16	2.5	23.53	3.3170

NO.	Ø	L	WLL KN	KG
20102-1600-030	16	3	23.53	3.8020
20102-1600-035	16	3.5	23.53	4.2870
20102-1600-040	16	4	23.53	4.7720
20102-1600-050	16	5	23.53	5.7420
20102-1600-060	16	6	23.53	6.7120
20102-3400-025	34	2.5		-
20102-3400-030	34	3		-
20102-3400-035	34	3.5		-
20102-3400-040	34	4		-
20102-3400-050	34	5		-
20102-3400-060	34	6		-

NOTES

- Wire rope slings with spliced loops to EN 13414-1
- Of galvanized, single-layer round strand ropes with fiber core, splice with shrink-on tube, safety factor 5

Specifications are provided for reference and may change without notice. Contact us to confirm the right product for your application.